



Department of Public Service  
5330 Seaman Road  
Oregon, Ohio 43616  
(419) 698-7047  
FAX (419) 691-0241

May 14, 2025

**ADDENDUM No. 1**  
**2025 ROAD IMPROVEMENT PROGRAM**

CITY OF OREGON  
DEPARTMENT OF PUBLIC SERVICE

**BIDS TO BE OPENED: Thursday, May 22, 2025 at 11:00 A.M.**

Plan holders of the City of Oregon's 2025 Road Improvement Program are hereby notified of the following amendments to the Contract Documents. The following additions, alterations, deletions and/or clarifications shall be part of the Base Bid as much as if they were originally included in the Contract Documents. This Addendum No. 1 is hereby made a part of the Contract Documents.

**GENERAL INFORMATION**

As a reminder, all bidders are required to be a plan holder to submit bids.

**CONTRACT CHANGES**

**1) PROJECT BID FORM**

Replace PAGES 9, 10, 11, 13, 14, 15, 17, 18, 20, 21, 23, 24, 25, 26, 28, 29, 30 and 31 in the Project Bid Book with the attached **REVISED PROJECT BID FORMS – REVISED PAGES 9, 10, 11, 13, 14, 15, 17, 18, 20, 21, 23, 24, 25, 26, 28, 29, 30 and 31 DATED 5/14/2025.**

**2) PROJECT DESCRIPTIONS**

Replace PAGES 113, 115, 117, 124 and 125 in the Project Bid Book with the attached **REVISED PROJECT BID FORMS – REVISED PAGES 113, 115, 117, 124 and 125 DATED 5/14/2025.**

**\* \* \* END OF ADDENDUM NO. 1 \* \* \***

## **BID FORM**

To the Director of Public Service  
Municipal Building  
5330 Seaman Road  
Oregon, Ohio 43616-2633

I. The undersigned, having familiarized \_\_\_\_\_ with the local conditions affecting the cost of the work and with the Contract Documents, hereby proposes to perform everything required to be performed and to provide and furnish all of the labor, materials, necessary tools, expendable equipment, and all utility and transportation services necessary to perform and complete in a workmanlike manner all of the work required for replacement of existing pavement with new 4" asphalt pavement including curbing, underdrains, curb inlets, storm sewer, driveway approaches, and Appurtenances for the CITY OF OREGON, OHIO, all in accordance with the specifications for the following prices, to wit:

### **BASE BID: Eastmoreland Drive North**

<b><u>REF. NO.</u></b>	<b><u>ODOT ITEM#</u></b>	<b><u>ITEM DESCRIPTION</u></b>	<b><u>QTY</u></b>	<b><u>UNIT</u></b>	<b><u>PRICE BID</u></b>	<b><u>AMOUNT BID</u></b>
1	202	Curb Removed	2610	LF		
2	202	Pavement Removed	3,854	SY		
3	202	Concrete Driveway, Removed	3,278	SF		
4	202	Asphalt Driveway, Removed	494	SF		
5	202	Catch Basin, Removed	4	EA		
6	202	Storm Sewer, Removed	120	LF		
7	202	Walk or Ramp Removed, APP	190	SF		
8	203	Excavation	1927	CY		
9	204	Granular Material, Type C	1285	CY		
10	204	Subgrade Compaction	3854	SY		
11	204	Proof Rolling	2	HR		
12	204	Geogrid	3854	SY		
13	304	Aggregate Base	642	CY		
14	407	Tack Coat	385	Gal		

<u>REF. NO.</u>	<u>ODOT ITEM#</u>	<u>ITEM DESCRIPTION</u>	<u>QTY</u>	<u>UNIT</u>	<u>PRICE BID</u>	<u>AMOUNT BID</u>
15	441	Asphalt Concrete Surface Course, Type 1 (449), PG64-22	161	CY		
16	441	Asphalt Concrete Intermediate Course, Type 2 (449), PG64-22	268	CY		
17	441	Asphalt Concrete Surface Course, Type 1 (449), PG64-22 for Driveways	5	CY		
18	452	6" Non-Reinforced Portland Cement Concrete Pavement for Driveways (MS)	3278	SF		
19	605	6" Base Pipe Underdrains	2,610	LF		
20	608	4" Concrete Walk, APP	190	SF		
21	608	Curb Ramp, APP	2	EA		
22	609	Concrete Curb, Type 6, APP, 4" Reveal (MS)	2610	LF		
23	611	Catch Basin, Type A-3 with Frame and Cover	4	EA		
24	611	12-inch Storm Sewer, Type B (706.02), All Depths	50	LF		
25	611	12-inch Storm Sewer, Type C (706.02), All Depths	70	LF		
26	614	Maintenance of Traffic	1	LS		
27	623	Construction Layout Staking	1	LS		
28	659	Seeding and Mulching	1	LS		

The ODOT Item Numbers listed above and referenced in the Technical Specifications are strictly used to describe the composition, placement, and removal of material only. The cost for any additional items required to complete the project per the specifications not specifically listed shall be included in the cost of the pertinent item.

**Note: The City of Oregon will not pay for price adjustments on Asphalt Binder**

**TOTAL BID PROJECT 1 IN FIGURES**

\$

(Unofficial total subject to correction)

II. Time of Completion. The undersigned agrees to substantially complete the work covered by the contract by **September 26, 2025**.

III. Accompanying this Bid is a Certified Check or Bid Bond in the amount of \_\_\_\_\_ Dollars (\$ \_\_\_\_\_), payable to the City of Oregon, Ohio, which it is agreed, shall be retained as liquidated damages to the City of Oregon, Ohio, if the undersigned fails to execute the Contract in conformity with the Form of Contract incorporated in the Contract Documents and furnish performance bond as specified within ten (10) days after notification of the award of the Contract to the undersigned.

IV. In submitting this Bid, it is understood that the right is reserved by the City of Oregon, Ohio, to reject any and all bids. It is agreed that this Bid may not be withdrawn for a period of 60 days from the opening thereof.

The following documents are attached to and made a condition of this Bid:

- a. Best Bid Criteria Form
- b. Delinquent Real Property Tax
- c. Delinquent Personal Property Tax
- d. Non-Collusion Affidavit
- e. Acknowledgement of Income Tax Policies
- f. Affidavit of Compliance with Ohio Revised Code Section 3517.13

Bidder acknowledges receipt of the following addendum(s):

---

---

---

DATE \_\_\_\_\_, 20\_\_\_\_

FIRM NAME \_\_\_\_\_ ....BY \_\_\_\_\_  
Signature

ADDRESS \_\_\_\_\_ TITLE \_\_\_\_\_

TELEPHONE \_\_\_\_\_

E.I. NO. \_\_\_\_\_

(Note: Bidders shall not add any conditions or qualifying statement to this Bid as otherwise the Bid may be declared irregular as not being responsive to the Advertisement for Bids.)

(Note: The successful bidder will be required to provide a Performance Bond in an amount not less than 100% of the contract price in favor of the City of Oregon, Ohio, conditioned upon the faithful performance of the Contract.)

## **BID FORM**

To the Director of Public Service  
Municipal Building  
5330 Seaman Road  
Oregon, Ohio 43616-2633

I. The undersigned, having familiarized \_\_\_\_\_ with the local conditions affecting the cost of the work and with the Contract Documents, hereby proposes to perform everything required to be performed and to provide and furnish all of the labor, materials, necessary tools, expendable equipment, and all utility and transportation services necessary to perform and complete in a workmanlike manner all of the work required for replacement of existing pavement with new 4" asphalt pavement including curbing, underdrains, curb inlets, storm sewer, driveway approaches, and Appurtenances for the CITY OF OREGON, OHIO, all in accordance with the specifications for the following prices, to wit:

### **BASE BID: Springwood Drive West**

<b><u>REF. NO.</u></b>	<b><u>ODOT ITEM#</u></b>	<b><u>ITEM DESCRIPTION</u></b>	<b><u>QTY</u></b>	<b><u>UNIT</u></b>	<b><u>PRICE BID</u></b>	<b><u>AMOUNT BID</u></b>
1	202	Curb Removed	1500	LF		
2	202	Pavement Removed	2,316	SY		
3	202	Concrete Driveway, Removed	1,410	SF		
4	202	Asphalt Driveway, Removed	633	SF		
5	202	Catch Basin, Removed	1	EA		
6	202	Storm Sewer, Removed	326	LF		
7	202	Walk or Ramp Removed, APP	539	SF		
8	203	Excavation	1158	CY		
9	204	Granular Material, Type C	772	CY		
10	204	Subgrade Compaction	2316	SY		
11	204	Proof Rolling	2	HR		
12	204	Geogrid	2316	SY		
13	304	Aggregate Base	386	CY		
14	407	Tack Coat	232	Gal		

<b><u>REF. NO.</u></b>	<b><u>ODOT ITEM#</u></b>	<b><u>ITEM DESCRIPTION</u></b>	<b><u>QTY</u></b>	<b><u>UNIT</u></b>	<b><u>PRICE BID</u></b>	<b><u>AMOUNT BID</u></b>
15	441	Asphalt Concrete Surface Course, Type 1 (449), PG64-22	97	CY		
16	441	Asphalt Concrete Intermediate Course, Type 2 (449)	161	CY		
17	441	Asphalt Concrete Surface Course, Type 1 (449), PG64-22 for Driveways	6	CY		
18	452	6" Non-Reinforced Portland Cement Concrete Pavement for Driveways (MS)	1410	SF		
19	605	6" Base Pipe Underdrains	1,310	LF		
20	608	4" Concrete Walk, APP	486	SF		
21	608	6" Concrete Walk, APP	85	SF		
22	608	Curb Ramp, APP	5	EA		
23	609	Combination Curb and Gutter, Type F, As Directed (MS)	1310	LF		
24	609	Concrete Curb, Type 6, APP, 4" Reveal (MS)	190	LF		
25	611	Catch Basin, Type A-3 with Frame and Cover	1	EA		
26	611	12-inch Storm Sewer, Type B (706.02), All Depths	149	LF		
27	611	12-inch Storm Sewer, Type C (706.02), All Depths	141	LF		
28	611	18-inch Storm Sewer, Type B (706.02), All Depths	36	LF		
29	614	Maintenance of Traffic	1	LS		
30	623	Construction Layout Staking	1	LS		
31	659	Seeding and Mulching	1	LS		

The ODOT Item Numbers listed above and referenced in the Technical Specifications are strictly used to describe the composition, placement, and removal of material only. The cost for any additional items required to complete the project per the specifications not specifically listed shall be included in the cost of the pertinent item.

**Note: The City of Oregon will not pay for price adjustments on Asphalt Binder**

**TOTAL BID PROJECT 2 IN FIGURES**

\$

(Unofficial total subject to correction)

II. Time of Completion. The undersigned agrees to substantially complete the work covered by the contract by **September 26, 2025**.

III. Accompanying this Bid is a Certified Check or Bid Bond in the amount of \_\_\_\_\_ Dollars (\$ \_\_\_\_\_) ,payable to the City of Oregon, Ohio, which it is agreed, shall be retained as liquidated damages to the City of Oregon, Ohio, if the undersigned fails to execute the Contract in conformity with the Form of Contract incorporated in the Contract Documents and furnish performance bond as specified within ten (10) days after notification of the award of the Contract to the undersigned.

IV. In submitting this Bid, it is understood that the right is reserved by the City of Oregon, Ohio, to reject any and all bids. It is agreed that this Bid may not be withdrawn for a period of 60 days from the opening thereof.

The following documents are attached to and made a condition of this Bid:

- a. Best Bid Criteria Form
- b. Delinquent Real Property Tax
- c. Delinquent Personal Property Tax
- d. Non-Collusion Affidavit
- e. Acknowledgement of Income Tax Policies
- f. Affidavit of Compliance with Ohio Revised Code Section 3517.13

Bidder acknowledges receipt of the following addendum(s):

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

DATE \_\_\_\_\_, 20\_\_\_\_\_

FIRM NAME \_\_\_\_\_, ....BY \_\_\_\_\_  
Signature

ADDRESS \_\_\_\_\_ TITLE \_\_\_\_\_

TELEPHONE \_\_\_\_\_

E.I. NO. \_\_\_\_\_

(Note: Bidders shall not add any conditions or qualifying statement to this Bid as otherwise the Bid may be declared irregular as not being responsive to the Advertisement for Bids.)

(Note: The successful bidder will be required to provide a Performance Bond in an amount not less than 100% of the contract price in favor of the City of Oregon, Ohio, conditioned upon the faithful performance of the Contract.)

## **BID FORM**

To the Director of Public Service  
Municipal Building  
5330 Seaman Road  
Oregon, Ohio 43616-2633

I. The undersigned, having familiarized \_\_\_\_\_ with the local conditions affecting the cost of the work and with the Contract Documents, hereby proposes to perform everything required to be performed and to provide and furnish all of the labor, materials, necessary tools, expendable equipment, and all utility and transportation services necessary to perform and complete in a workmanlike manner all of the work required for asphalt concrete, pavement repairs, and appurtenances for the CITY OF OREGON, OHIO, all in accordance with the specifications for the following prices, to wit:

### **BASE BID: Brown Road Resurfacing**

<b><u>REF. NO.</u></b>	<b><u>ODOT ITEM#</u></b>	<b><u>ITEM DESCRIPTION</u></b>	<b><u>QTY</u></b>	<b><u>UNIT</u></b>	<b><u>PRICE BID</u></b>	<b><u>AMOUNT BID</u></b>
	<i>Brown Road - S Lallendorf Road to S Stadium Road</i>					
1	254	Pavement Planing, Bituminous	28,352	SY		
2	301	Bituminous Aggregate Base, Spot Repairs	331	CY		
3	407	Tack Coat	2,835	Gal		
4	441	Asphalt Concrete Surface Course, Type 1 (449), PG64-22 (Scratch)	984	CY		
5	441	Asphalt Concrete Intermediate Course, Type 2 (449), PG64-22	591	CY		
6	611	Manhole Adjusted to Grade	2	EA		
7	623	Monument Adjusted to Grade	1	EA		
8	614	Maintenance of Traffic	1	LS		
9	617	Compacted Aggregate, Type A	264	CY		
10	638	Valve Box Adjusted to Grade	1	EA		

The ODOT Item Numbers listed above and referenced in the Technical Specifications are strictly used to describe the composition, placement, and removal of material only. The cost for any additional items required to complete the project per the specifications not specifically listed shall be included in the cost of the pertinent item.

**Note: The City of Oregon will not pay for price adjustments on Asphalt Binder**



**BASE BID PROJECT 3 IN FIGURES**

\$ \_\_\_\_\_

(Unofficial total subject to correction)

II. Time of Completion. The undersigned agrees to substantially complete the work covered by the contract by **September 26, 2025**.

III. Accompanying this Bid is a Certified Check or Bid Bond in the amount of \_\_\_\_\_ Dollars (\$ \_\_\_\_\_), payable to the City of Oregon, Ohio, which it is agreed, shall be retained as liquidated damages to the City of Oregon, Ohio, if the undersigned fails to execute the Contract in conformity with the Form of Contract incorporated in the Contract Documents and furnish performance bond as specified within ten (10) days after notification of the award of the Contract to the undersigned.

IV. In submitting this Bid, it is understood that the right is reserved by the City of Oregon, Ohio, to reject any and all bids. It is agreed that this Bid may not be withdrawn for a period of 60 days from the opening thereof.

The following documents are attached to and made a condition of this Bid:

- a. Best Bid Criteria Form
- b. Delinquent Real Property Tax
- c. Delinquent Personal Property Tax
- d. Non-Collusion Affidavit
- e. Acknowledgement of Income Tax Policies
- f. Affidavit of Compliance with Ohio Revised Code Section 3517.13

Bidder acknowledges receipt of the following addendum(s):

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

DATE \_\_\_\_\_, 20\_\_\_\_

FIRM NAME \_\_\_\_\_ BY \_\_\_\_\_  
Signature

ADDRESS \_\_\_\_\_ TITLE \_\_\_\_\_

TELEPHONE \_\_\_\_\_

E.I. NO. \_\_\_\_\_

(Note: Bidders shall not add any conditions or qualifying statement to this Bid as otherwise the Bid may be declared irregular as not being responsive to the Advertisement for Bids.)

(Note: The successful bidder will be required to provide a Performance Bond in an amount not less than 100% of the contract price in favor of the City of Oregon, Ohio, conditioned upon the faithful performance of the Contract.)

## **BID FORM**

To the Director of Public Service  
Municipal Building  
5330 Seaman Road  
Oregon, Ohio 43616-2633

I. The undersigned, having familiarized \_\_\_\_\_ with the local conditions affecting the cost of the work and with the Contract Documents, hereby proposes to perform everything required to be performed and to provide and furnish all of the labor, materials, necessary tools, expendable equipment, and all utility and transportation services necessary to perform and complete in a workmanlike manner all of the work required for asphalt concrete, pavement repairs, and appurtenances for the CITY OF OREGON, OHIO, all in accordance with the specifications for the following prices, to wit:

### **BASE BID: Navarre Avenue Pavement Repairs**

<b><u>REF. NO.</u></b>	<b><u>ODOT ITEM#</u></b>	<b><u>ITEM DESCRIPTION</u></b>	<b><u>QTY</u></b>	<b><u>UNIT</u></b>	<b><u>PRICE BID</u></b>	<b><u>AMOUNT BID</u></b>
		<i>Navarre Avenue - S Coy Rd to S Lallendorf</i>				
1	253	Pavement Repair - Skin Patching	30	CY		
2	407	Tack Coat	53	Gal		
3	611	Manhole Adjusted to Grade	1	EA		
4	<b>638</b>	Valve Box Adjusted to Grade	1	EA		

The ODOT Item Numbers listed above and referenced in the Technical Specifications are strictly used to describe the composition, placement, and removal of material only. The cost for any additional items required to complete the project per the specifications not specifically listed shall be included in the cost of the pertinent item.

**Note: The City of Oregon will not pay for price adjustments on Asphalt Binder**

### **BASE BID PROJECT 4 IN FIGURES**

\$ \_\_\_\_\_

(Unofficial total subject to correction)

II. Time of Completion. The undersigned agrees to substantially complete the work covered by the contract by **July 25, 2025**.

III. Accompanying this Bid is a Certified Check or Bid Bond in the amount of \_\_\_\_\_ Dollars (\$ \_\_\_\_\_) , payable to the City of Oregon, Ohio, which it is agreed, shall be retained as liquidated damages to the City of Oregon, Ohio, if the undersigned fails to execute the Contract in conformity with the Form of Contract incorporated in the Contract Documents and furnish performance bond as specified within ten (10) days after notification of the award of the Contract to the undersigned.

IV. In submitting this Bid, it is understood that the right is reserved by the City of Oregon, Ohio, to reject any and all bids. It is agreed that this Bid may not be withdrawn for a period of 60 days from the opening thereof. The following documents are attached to and made a condition of this Bid: a. Best Bid Criteria Form b. Delinquent Real Property Tax c. Delinquent Personal Property Tax d. Non-Collusion Affidavit e. Acknowledgement of Income Tax Policies f. Affidavit of Compliance with Ohio Revised Code Section 3517.13

Bidder acknowledges receipt of the following addendum(s):

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

DATE \_\_\_\_\_, 20\_\_\_\_\_

FIRM NAME \_\_\_\_\_ ....BY \_\_\_\_\_  
Signature

ADDRESS \_\_\_\_\_ TITLE \_\_\_\_\_

\_\_\_\_\_ TELEPHONE \_\_\_\_\_

\_\_\_\_\_ E.I. NO. \_\_\_\_\_

(Note: Bidders shall not add any conditions or qualifying statement to this Bid as otherwise the Bid may be declared irregular as not being responsive to the Advertisement for Bids.)

(Note: The successful bidder will be required to provide a Performance Bond in an amount not less than 100% of the contract price in favor of the City of Oregon, Ohio, conditioned upon the faithful performance of the Contract.)

## **BID FORM**

To the Director of Public Service  
Municipal Building  
5330 Seaman Road  
Oregon, Ohio 43616-2633

I. The undersigned, having familiarized \_\_\_\_\_ with the local conditions affecting the cost of the work and with the Contract Documents, hereby proposes to perform everything required to be performed and to provide and furnish all of the labor, materials, necessary tools, expendable equipment, and all utility and transportation services necessary to perform and complete in a workmanlike manner all of the work required for asphalt concrete, pavement repairs, and appurtenances for the CITY OF OREGON, OHIO, all in accordance with the specifications for the following prices, to wit:

### **BASE BID: LUC-Oregon Multi-use Trail, Phase 2**

<b><u>REF. NO.</u></b>	<b><u>ODOT ITEM#</u></b>	<b><u>ITEM DESCRIPTION</u></b>	<b><u>QTY</u></b>	<b><u>UNIT</u></b>	<b><u>PRICE BID</u></b>	<b><u>AMOUNT BID</u></b>
		<i>Navarre Avenue to Starr Avenue</i>				
		<b>ROADWAY</b>				
1	201	Clearing and Grubbing	1	LS		
2	202	Curb Removed	158	FT		
3	202	Walk Removed	3180	SF		
4	203	Excavation	1264	CY		
5	203	Embankment	360	CY		
6	204	Subgrade Compaction	4315	SY		
7	204	Excavation of Subgrade	500	CY		
8	204	Granular Material, Type B	500	CY		
9	204	Proof Rolling	4	HR		
10	204	Geotextile Fabric, As Per Plan	1400	SY		
11	608	4" Concrete Walk	1513	SF		
12	608	Curb Ramp	925	SF		
13	609	Combination Curb and Gutter, Type 2	158	FT		

<u>REF. NO.</u>	<u>ODOT ITEM#</u>	<u>ITEM DESCRIPTION</u>	<u>QTY</u>	<u>UNIT</u>	<u>PRICE BID</u>	<u>AMOUNT BID</u>
	<b>EROSION CONTROL</b>					
14	651	Topsoil Stockpiled	829	CY		
15	652	Placing Stockpiled Topsoil	431	CY		
16	659	Seeding and Mulching, As Per Plan	3881	SY		
17	659	Repair Seeding and Mulching	500	SY		
18	659	Inter-Seeding	500	SY		
19	659	Commercial Fertilizer	1.35	TON		
20	659	Water	55	MGAL		
21	832	Storm Water Pollution Prevention Plan	1	LS		
22	832	Erosion Control	30000	EA		
	<b>DRAINAGE</b>					
23	209	Ditch Cleanout, As Per Plan	850	FT		
24	511	Concrete Headwall	0.22	CY		
25	601	Rock Channel Protection, Type C, with Geotextile Fabric	3	CY		
26	605	6" Shallow Pipe Underdrains	368	FT		
27	605	6" Unclassified Pipe Underdrains with Geotextile	1034	FT		
28	605	Aggregate Drains	179	FT		
29	611	6" Conduit, Type F, 12" Wide, 8" Deep	44	FT		
30	611	8" Conduit, Type C (Perforated), As Per Plan	160	FT		
31	611	12" Conduit, Type B	71	FT		
32	611	12" Conduit, Type C	419	FT		
33	611	Catch Basin, No. 2-2B	8	EA		
	<b>PAVEMENT</b>					
34	204	Geogrid	3412	SY		

<u>REF. NO.</u>	<u>ODOT ITEM#</u>	<u>ITEM DESCRIPTION</u>	<u>QTY</u>	<u>UNIT</u>	<u>PRICE BID</u>	<u>AMOUNT BID</u>
35	253	Pavement Repair, As Per Plan	141	SY		
36	304	Aggregate Base, 6"	155	CY		
37	304	Aggregate Base, 12"	1089	CY		
38	407	Tack Coat	170	Gal		
39	441	Asphalt Concrete Surface Course, Type 1, (448), PG64-22, 1 1/4"	98	CY		
40	441	Asphalt Concrete Intermediate Course, Type 2, (448), 1 3/4"	145	CY		
41	452	6" Non-Reinforced Concrete Pavement, QC1, Path	704	SY		
	<b>TRAFFIC CONTROL</b>					
42	630	Ground Mounted Support Post, No. 3	23	FT		
43	630	Sign, Flat Sheet	5	SF		
44	642	Edge Line, 4", Type 1	1.16	MILE		
45	642	Center Line, Type 1, Solid and Broken	0.58	MILE		
46	642	Crosswalk Line, 24"	361	FT		
	<b>GENERAL/INCIDENTALS</b>					
47	614	Maintaining Traffic	1	LS		
48	623	Construction Layout Stakes	1	LS		
49	624	Mobilization	1	LS		

The ODOT Item Numbers listed above and referenced in the Technical Specifications are strictly used to describe the composition, placement, and removal of material only. The cost for any additional items required to complete the project per the specifications not specifically listed shall be included in the cost of the pertinent item.

**Note: The City of Oregon will not pay for price adjustments on Asphalt Binder**

**BASE BID PROJECT 5 IN FIGURES**

\$

(Unofficial total subject to correction)

II. Time of Completion. The undersigned agrees to substantially complete the work covered by the contract by **October 24, 2025**.

III. Accompanying this Bid is a Certified Check or Bid Bond in the amount of \_\_\_\_\_ Dollars (\$ \_\_\_\_\_) , payable to the City of Oregon, Ohio, which it is agreed, shall be retained as liquidated damages to the City of Oregon, Ohio, if the undersigned fails to execute the Contract in conformity with the Form of Contract incorporated in the Contract Documents and furnish performance bond as specified within ten (10) days after notification of the award of the Contract to the undersigned.

IV. In submitting this Bid, it is understood that the right is reserved by the City of Oregon, Ohio, to reject any and all bids. It is agreed that this Bid may not be withdrawn for a period of 60 days from the opening thereof. The following documents are attached to and made a condition of this Bid: a. Best Bid Criteria Form b. Delinquent Real Property Tax c. Delinquent Personal Property Tax d. Non-Collusion Affidavit e. Acknowledgement of Income Tax Policies f. Affidavit of Compliance with Ohio Revised Code Section 3517.13

Bidder acknowledges receipt of the following addendum(s):

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

DATE \_\_\_\_\_, 20\_\_\_\_\_

FIRM NAME \_\_\_\_\_ ....BY \_\_\_\_\_  
Signature

ADDRESS \_\_\_\_\_ TITLE \_\_\_\_\_

\_\_\_\_\_ TELEPHONE \_\_\_\_\_

\_\_\_\_\_ E.I. NO. \_\_\_\_\_

(Note: Bidders shall not add any conditions or qualifying statement to this Bid as otherwise the Bid may be declared irregular as not being responsive to the Advertisement for Bids.)

(Note: The successful bidder will be required to provide a Performance Bond in an amount not less than 100% of the contract price in favor of the City of Oregon, Ohio, conditioned upon the faithful performance of the Contract.)

## **BID FORM**

To the Director of Public Service  
Municipal Building  
5330 Seaman Road  
Oregon, Ohio 43616-2633

I. The undersigned, having familiarized \_\_\_\_\_ with the local conditions affecting the cost of the work and with the Contract Documents, hereby proposes to perform everything required to be performed and to provide and furnish all of the labor, materials, necessary tools, expendable equipment, and all utility and transportation services necessary to perform and complete in a workmanlike manner all of the work required for asphalt concrete, pavement repairs, and appurtenances for the OREGON SCHOOLS, all in accordance with the specifications for the following prices, to wit:

**BASE BID: Starr Elementary Driveway Construction and Resurfacing**

<u><b>REF. NO.</b></u>	<u><b>ODOT ITEM#</b></u>	<u><b>ITEM DESCRIPTION</b></u>	<u><b>QTY</b></u>	<u><b>UNIT</b></u>	<u><b>PRICE BID</b></u>	<u><b>AMOUNT BID</b></u>
		<i><b>Starr Elementary Driveway</b></i>				
1	202	Tree Removed	1	EA		
2	202	Pavement Removed	207	Y		
3	204	Sidewalk Removed	633	SF		
4	204	Excavation and Embankment	1	LS		
5	204	Subgrade Compaction	575	SY		
6	204	Proof Rolling, APP	1	HR		
7	254	Pavement Planing, Bituminous	1307	SY		
8	304	Aggregate Base	192	CY		
9	407	Tack Coat	188	Gal		
10	441	Asphalt Concrete Surface Course, Type 1 (449), PG64-22	78	CY		
11	441	Asphalt Concrete Intermediate Course, Type 2 (449), PG64-22	36	CY		
12	<b>605</b>	6" Unclassified Pipe Underdrains	66	LF		
13	608	4" Concrete Walk	512	SF		



<u>REF. NO.</u>	<u>ODOT ITEM#</u>	<u>ITEM DESCRIPTION</u>	<u>QTY</u>	<u>UNIT</u>	<u>PRICE BID</u>	<u>AMOUNT BID</u>
14	608	Curb Ramp, APP	3	EA		
15	611	6" Conduit, Type B	15	FT		
16	611	12" Yard Basin	1	EA		
17	611	Manhole Adjusted to Grade	1	EA		
18	611	Catch Basin, ODOT Type 2-2B	1	EA		
19	623	Construction Staking	1	LS		
20	630	Sign, Flat Sheet	31	SF		
21	630	Ground Mounted Support, No. 3 Post	48	LF		
22	<b>638</b>	Valve Box Adjusted to Grade	1	EA		
23	642	Striping	1	LS		
24	653	Topsoil Furnished and Placed	1	LS		
25	659	Seeding and Mulching	1	LS		

The ODOT Item Numbers listed above and referenced in the Technical Specifications are strictly used to describe the composition, placement, and removal of material only. The cost for any additional items required to complete the project per the specifications not specifically listed shall be included in the cost of the pertinent item.

**Note: The City of Oregon will not pay for price adjustments on Asphalt Binder**

**TOTAL BASE BID PROJECT 6 FIGURES**

\$

(Unofficial total subject to correction)

**ALTERNATE BID: Starr Elementary Parking Lot Expansion**

<u>REF. NO.</u>	<u>ODOT ITEM#</u>	<u>ITEM DESCRIPTION</u>	<u>QTY</u>	<u>UNIT</u>	<u>PRICE BID</u>	<u>AMOUNT BID</u>
		<i>Starr Elementary Driveway</i>				
1	203	Excavation	1	LS		

<u>REF. NO.</u>	<u>ODOT ITEM#</u>	<u>ITEM DESCRIPTION</u>	<u>QTY</u>	<u>UNIT</u>	<u>PRICE BID</u>	<u>AMOUNT BID</u>
2	204	Subgrade Compaction	124	SY		
3	304	10" Aggregate Base	35	CY		
4	441	Asphalt Concrete Surface Course, Type 1 (449), PG64-22	5	CY		
5	441	Asphalt Concrete Intermediate Course, Type 2 (449), PG64-22	8	CY		
6	642	Striping	1	LS		
7	653	Topsoil Furnished and Placed	1	LS		
8	659	Seeding and Mulching	1	LS		

The ODOT Item Numbers listed above and referenced in the Technical Specifications are strictly used to describe the composition, placement, and removal of material only. The cost for any additional items required to complete the project per the specifications not specifically listed shall be included in the cost of the pertinent item.

**Note: The City of Oregon will not pay for price adjustments on Asphalt Binder**

**TOTAL ALTERNATE BID PROJECT 6 FIGURES**

\$

(Unofficial total subject to correction)

II. Time of Completion. The undersigned agrees to substantially complete the work covered by the contract by **August 8, 2025**.

III. Accompanying this Bid is a Certified Check or Bid Bond in the amount of

Dollars (\$ \_\_\_\_\_),

payable to the City of Oregon, Ohio, which it is agreed, shall be retained as liquidated damages to the City of Oregon, Ohio, if the undersigned fails to execute the Contract in conformity with the Form of Contract incorporated in the Contract Documents and furnish performance bond as specified within ten (10) days after notification of the award of the Contract to the undersigned.

IV. In submitting this Bid, it is understood that the right is reserved by the City of Oregon, Ohio, to reject any and all bids. It is agreed that this Bid may not be withdrawn for a period of 60 days from the opening thereof.

The following documents are attached to and made a condition of this Bid:

- Best Bid Criteria Form
- Delinquent Real Property Tax
- Delinquent Personal Property Tax
- Non-Collusion Affidavit

- e. Acknowledgement of Income Tax Policies
- f. Affidavit of Compliance with Ohio Revised Code Section 3517.13

IV. In submitting this Bid, it is understood that the right is reserved by the City of Oregon, Ohio, to reject any and all bids. It is agreed that this Bid may not be withdrawn for a period of 60 days from the opening thereof.

The following documents are attached to and made a condition of this Bid:

- a. Best Bid Criteria Form
- b. Delinquent Real Property Tax
- c. Delinquent Personal Property Tax
- d. Non-Collusion Affidavit
- e. Acknowledgement of Income Tax Policies
- f. Affidavit of Compliance with Ohio Revised Code Section 3517.13

Bidder acknowledges receipt of the following addendum(s):

---



---



---

DATE \_\_\_\_\_, 20\_\_\_\_

FIRM NAME \_\_\_\_\_ BY \_\_\_\_\_ Signature

ADDRESS \_\_\_\_\_ TITLE \_\_\_\_\_

TELEPHONE \_\_\_\_\_

E.I. NO. \_\_\_\_\_

(Note: Bidders shall not add any conditions or qualifying statement to this Bid as otherwise the Bid may be declared irregular as not being responsive to the Advertisement for Bids.)

(Note: The successful bidder will be required to provide a Performance Bond in an amount not less than 100% of the contract price in favor of the City of Oregon, Ohio, conditioned upon the faithful performance of the Contract.)

### Brown Road – S Lallendorf to S Stadium

<u>REF #</u>	<u>ODOT ITEM#</u>	<u>ITEM</u>	<u>ESTIMATED QUANTITY</u>	<u>UNIT</u>
1	254	Pavement Planing, Bituminous	28,352	SY
2	301	Bituminous Aggregate Base, Spot Repairs	331	CY
3	407	Tack Coat	2,835	Gal
4	441	Asphalt Concrete Surface Course, Type 1 (449), PG64-22 (Scratch)	984	CY
5	441	Asphalt Concrete Intermediate Course, Type 2 (449), PG64-22	591	CY
6	611	Manhole, Adjusted to Grade	2	EA
7	614	Maintenance of Traffic	1	LS
8	617	Compacted Aggregate, Type A	264	CY
9	623	Monument, Adjusted to Grade	1	EA
10	<b>638</b>	Valve Box, Adjusted to Grade	1	EA

**DESCRIPTION OF WORK**  
**Navarre Avenue – Coy Road to Wynn Road**

**PROPOSED WORK**

a) Item 253, Pavement Repairs, As Directed

Approximate Repair Areas:

- 46' x 22'	Westbound	South Lane	3448 Navarre Ave
- 8.5' x 6.5'	Westbound	North Lane	3465 Navarre Ave
- 10' x 5.5'	Westbound	North Lane	3465 Navarre Ave
- 44.8' x 7.7'	Westbound	North Lane	3465 Navarre Ave
- 40.6' x 6.7'	Westbound	North Lane	3515 Navarre Ave
- 4.3' x 4.4'	Westbound	North Lane	3525 Navarre Ave
- 9.8' x 5.7'	Westbound	North Lane	3545 Navarre Ave
- 4.1' x 3.8'	Westbound	North Lane	3555 Navarre Ave
- 13.7' x 10.6'	Westbound	North Lane	3555 Navarre Ave
- 3.8' x 3.9'	Westbound	North Lane	3555 Navarre Ave
- 8.1' x 5.5'	Westbound	North Lane	3623 Navarre Ave
- 10' x 9.2'	Eastbound	South Lane	3634 Navarre Ave
- 7' x 8.6'	Eastbound	South Lane	3634 Navarre Ave
- 10.4' x 6.5'	Westbound	North Lane	3721 Navarre Ave
- 14' x 14'	Westbound	North Lane	3721 Navarre Ave
- 3.6' x 3.6'	Westbound	North Lane	3721 Navarre Ave
- 18.9' x 8.9'	Westbound	North Lane	3721 Navarre Ave
- 18.2' x 15'	Eastbound	South Lane	3726 Navarre Ave
- 25.3' x 21.5'	Eastbound	South Lane	3830 Navarre Ave
- 11.3' x 13.6'	Westbound	North Lane	3841 Navarre Ave
- 12' x 11'	Westbound	North Lane	3841 Navarre Ave
- 21.5' x 20'	Eastbound	South Lane	3844 Navarre Ave
- 22.4' x 11.8'	Eastbound	South Lane	3928 Navarre Ave
- 12' x 11'	Eastbound	South Lane	3928 Navarre Ave
<del>- 10' x 7'</del>	<del>Northbound</del>	<del>West Lane</del>	<del>831 S Wynn Road</del>

City reserves the right to adjust limits as necessary.

b) Pavement Replacement Section to be:

2" Asphalt Concrete Surface Course, Type 1 (449), PG64-22

c) Structures Adjustment, As Directed

Item 611 Manhole Adjusted to Grade

Item **638** Valve Box Adjusted to Grade

d) Maintenance of Traffic (To be included in Item 253, Pavement Repair)

**Note(s):**

- 1) The Contractor shall construct or install the above work in accordance to the Contract Specifications.
- 2) Contractor shall schedule work with engineer a minimum of two weeks prior to work.

**Navarre Ave – Coy Road to Wynn Road**

<b><u>REF #</u></b>	<b><u>ODOT ITEM#</u></b>	<b><u>ITEM</u></b>	<b><u>ESTIMATED QUANTITY</u></b>	<b><u>UNIT</u></b>
1	253	Pavement Repair - Skin Patching	30	CY
2	407	Tack Coat	53	Gal
3	611	Manhole Adjusted to Grade	1	EA
4	<b>638</b>	Valve Box Adjusted to Grade	1	EA

## **DESCRIPTION OF WORK**

### **Starr Elementary Driveway**

#### **PROPOSED WORK**

The project consists of the construction of additional driveway areas, sidewalk, drainage improvements, and ADA curb ramp relocations. Refer to the attached plans for more details.

- a) Driveway Area
  - a. Item 202 Excavation
  - b. Item 204 Subgrade Compaction
  - c. 10" Item 304 Aggregate Base
  - d. 1.5" Item 441 Asphalt Concrete Surface Course, Type 1 (449), PG64-22
  - e. 2.5" Item 441 Asphalt Concrete **Intermediate** Course, Type 2 (449), PG64-22
  - f. Item 642 Striping
- b) ADA Ramp Relocations, As Directed
- c) Drainage/Sanitary/Water
  - a. Item 605 6" Unclassified Pipe Underdrains
  - b. Item 611 12" Yard Basin to be installed over existing storm sewer
  - c. Item 611 Catch Basin, Type 2-2B  
Existing catch basin relocation to be paid under Item 611
  - d. Item 611 Manhole Adjusted to Grade
  - e. Item **638** Valve Box, Adjusted to Grade
- d) Work to be completed between June 2, 2025 and August 8, 2025. Contractor must work around Safety Town, which occurs the first two weeks of June.

#### **Note(s):**

- 1) The Contractor shall construct or install the above work in accordance to the Contract Specifications.
- 2) Contractor shall schedule work with engineer a **minimum** of two weeks prior to work.
- 3) All pavement removals edges shall be cut with neat lines by use of a power carborundum saw or mill machine. Saw cuts shall be full-depth. Removals shall be made only to the extent provided in the plans, or as approved by the project engineer.
- 4) The Contractor shall saw cut and carefully remove existing sidewalk. Care should be taken to not damage the sidewalk beyond the replacement limits during removal.
- 5) The contractor shall furnish fittings, bolts and necessary tools and equipment to install the structures and signs as per plan.
- 6) The contractor shall furnish and maintain signs, barricades, lights, and flaggers necessary for the protection of traffic and the public at all times, day and night, during the work provided for under this project, and to comply with all instructions given by the City. All traffic control devices, flaggers, traffic maintenance methods and other operations to provide for protection of traffic shall conform to the requirements of the Ohio Manual of Traffic Control Devices, latest edition.
- 7) Oregon City Schools reserve the right to award the contract for this bid.

## Starr Elementary Driveway

<u>REF #</u>	<u>ODOT ITEM#</u>	<u>ITEM</u>	<u>ESTIMATED QUANTITY</u>	<u>UNIT</u>
1	201	Tree Removed	1	EA
2	202	Pavement Removed	207	SY
3	202	Sidewalk Removed	633	SF
4	203	Excavation and Embankment	1	LS
5	204	Subgrade Compaction	575	SY
6	204	Proof Rolling, APP	1	HR
7	254	Pavement Planing, Bituminous	1307	SY
8	304	Aggregate Base	160	CY
9	407	Tack Coat	188	Gal
10	441	Asphalt Concrete Surface Course, Type 1 (449), PG64-22	78	CY
11	441	Asphalt Concrete Intermediate Course, Type 2 (449), PG54-22	36	CY
12	<b>605</b>	6" Unclassified Pipe Underdrains	66	LF
13	608	4" Concrete Walk	512	SF
14	608	Curb Ramp, APP	3	EA
15	611	6" Conduit, Type B	15	FT
16	611	12" Yard Basin	1	EA
17	611	Manhole Adjusted to Grade	1	EA
18	611	Catch Basin, ODOT Type 2-2B	1	EA
19	623	Construction Staking	1	LS
20	630	Sign, Flat Sheet	31	SF
21	630	Ground Mounted Support, No. 3 Post	48	LF
22	<b>638</b>	Valve Box Adjusted to Grade	1	<b>EA</b>
23	642	Striping	1	LS
24	653	Topsoil Furnished and Placed	1	LS
25	659	Seeding and Mulching	1	LS