

May 19, 2025

ADDENDUM No. 2
2025 ROAD IMPROVEMENT PROGRAM

CITY OF OREGON
DEPARTMENT OF PUBLIC SERVICE

BIDS TO BE OPENED: Wednesday, May 28, 2025 at 1:00 P.M.

Plan holders of the City of Oregon's 2025 Road Improvement Program are hereby notified of the following amendments to the Contract Documents. The following additions, alterations, deletions and/or clarifications shall be part of the Base Bid as much as if they were originally included in the Contract Documents. This Addendum No. 2 is hereby made a part of the Contract Documents.

GENERAL INFORMATION

As a reminder, all bidders are required to be a plan holder to submit bids.

NOTICE TO BIDDERS – Revised Bid Opening Date

The Bid Opening has been moved back to **1:00 pm on Wednesday, May 28, 2025.**

Delete and Replace the text for paragraph 1 of the **Notice to Bidders** with the following revised bid opening time:

Sealed proposals marked for “**2025 ROADWAY IMPROVEMENT PROGRAM**” will be received by the City of Oregon, Ohio, at the Office of the Director of Public Service at the Oregon Municipal Building, 5330 Seaman Road, Oregon, Ohio 43616-2608, **until 1:00 P.M., local time, on Wednesday, May 28, 2025**, and then opened and read aloud for furnishing the Department of Public Service with the following work:

CONTRACT CHANGES

1) PROJECT BID FORM

Replace PAGES 17, 18, 23, 24, 25, 26, 28, 29, 30 and 31 in the Project Bid Book with the attached **REVISED PROJECT BID FORMS – REVISED PAGES 17, 18, 23, 24, 25, 26, 28, 29, 30 and 31 DATED 5/19/2025.**

2) PROJECT 5 - PLAN SHEET 7

Replace PLAN SHEET 7 in the PROJECT 5 Plan Set with the **attached REVISED PLAN SHEET 7 noted “Addendum #2 (Issued 5/19/25)”**.

3) PROJECT 6 & 6A - PLAN SHEETS 2/2 and 1/1

Replace PLAN SHEETS 2/2 and 1/1 in the PROJECT 6 & 6A Plan Set with the attached **REVISED PLAN SHEETS 2/2 and 1/1 noted “Revised 5/19/25”**.

ANSWERS TO SUBMITTED QUESTIONS

- **Project #1 & #2 - Is the intent to install drainage and underdrains before Stage 1 or after Stage 1?**

The intent is to complete all drainage and underdrain installations during Stage 1. While the contractor may determine the specific sequencing of this work, it must be carried out in accordance with the Stage 1 requirements, including driveway access requirements.

- **Project #1, #2, #5 & #6 - Are the requirements ODOT Spec 611.04 B. thru D. required for these projects?**

ODOT Spec 611.04 B. thru D. will **not** be required for these projects.

- **Project #5 - Is the contractor required to remove any excess topsoil from stockpile off site?**

Yes, the contractor is responsible for removing all excess material from the site, including any surplus topsoil from stockpiles.

- **Project #5 - Regarding the 'Spoil Material' note on plan sheet 7, it says; The City of Oregon will provide a disposal site as shown in the Schematic Plan for all spoils resulting from this project. Looking at the Schematic Site Plan on plan sheet 2, there doesn't appear to be any disposal site shown. Please Clarify. Also, can concrete from job be buried within the disposal site? Does the stockpile need to be seeded and mulch when the project is completed?**

The note on Sheet 7 referencing a City-provided disposal site was carried over in error from a previous phase of the bikeway project and does not apply to this project. This note has been removed on the revised sheet 7. All spoil materials generated from this project, including concrete, must be removed from the site and properly disposed of by the contractor.

- **Project #5 - What are sizes and estimate depths of the existing water and gas lines that run roughly along the left side and under the Multi-Use Path from station 207 to 232 shown on Plan sheet 2? See attached for locations. The gas and water lines appear to be in different locations on the plan and profile sheets from the schematic plan sheet. Please clarify which is correct.**

The plan and profile sheets provide the accurate locations of both the waterline and gas line. The schematic plan sheet does not correctly depict their positions.

The existing waterline is a 16" trunk line installed in 2010, with a specified bury depth of 5 feet to the top of the pipe. The gas line is a 24" steel pipe installed in approximately 2016, with a specified bury depth of 4 feet to the top of the pipe.

- **Project #5 - On sheet 23, it appears the 67'-12" TY C drainage line will go thru the existing sidewalk. How is payment to be made to restore the sidewalk?**

Restoration of the sidewalk impacted by the installation of the 67'-12" Type C drainage line, as shown on Sheet 23, will be paid for under the "Walk Removed" and "4" Concrete Walk" pay items. An additional estimated quantity of 250 square feet has been added to these items in the updated bid form.

- **Project #5 - Can the contractor close EB driving lane on Navarre during working hours to remove and replace sidewalk in front of Aldi's?**

Yes, the contractor will be permitted to close the eastbound driving lane on Navarre Avenue during working hours to complete the sidewalk removal and replacement in front of Aldi. The closure must be coordinated with the City, with a minimum of 48 hours'

advance notice provided. Traffic control shall include an arrow board and appropriate advance warning signage, in accordance with ODOT Standard Construction Drawing **MT-95.31 – Closing Right Lanes of a Multi-Lane Undivided Highway with Drums.**

- **Project #5 - On the bid form for reference number 22, is the intent to bid \$1.00ea for the unit price?**

Yes, the intent is for the unit price of pay reference **Erosion Control** (*formerly Pay Item 22*) to be \$1.00 each. This has been incorporated into the updated bid form, which automatically reflects the unit price in the total bid amount.

Additional pay items have been added to establish unit prices for Storm Water Pollution Prevention Inspections, inlet protection, and sediment barriers. The sediment barrier may be either a standard silt fence or a 12-inch diameter tubular filter, in accordance with the Ohio EPA's Construction General Permit #OHC000006.

- **Project #5 - Under ref #29 the description for the 6" Conduit, TY F it says; 12" wide by 8" deep. On sheet 23 the Catch basin at sta 232+87.85, 54.1', rt the invert shows a depth of the 6" cond., TY F west at +/-3' deep. Is the description 12" wide by 8" deep suppose to be for the aggregate drains? Please clarify.**

The "12" wide by 8" deep" description was intended for **Aggregate Drains** (*formerly Pay Item 28*), not for the **6" Conduit, Type F**. The bid form has been updated to reflect this correction.

Additionally, the 200-foot contingency quantity for **6" Unclassified Pipe Underdrains with Geotextile** (*formerly Pay Item 27*) has been removed by deleting the corresponding note on Sheet 7.

- **Project #5 – On sheet 2 under the note for "Work Near First Energy Towers"; it mentions installing PCB and Danger High voltage signs. How is this work to be paid for**

The work related to installing PCB and "Danger High Voltage" signs is considered incidental to the earthwork items and will not be paid for separately. Only the tower located near Sta. 224+50 to 225+00 will require PCB protection.

- **Project #5 – On sheet 18, the plan profile from sta 212+00 to 213+40 shows 140' -6" shallow pipe UD. On sheet 13 for that area the sub summary shows the pipe as 6" unclassified. Please clarify.**

All underdrain pipes for this project shall be **6" Shallow Pipe Underdrains** installed 18" below the bottom of subgrade. Geotextile fabric will not be required for these underdrains. The pay reference for **6" Unclassified Pipe Underdrains with Geotextile** has been removed from the bid form.

- **Project #5 – Will 6" Ty F pipe be required to tie all 6" underdrains into catch basins and existing pipes? If so, how will this work be paid for**

Yes, 6" Type F pipe will be required to connect all 6" underdrains to catch basins and existing pipes. The quantities on the bid form have been updated to include 10 linear feet of 6" Type F pipe at each underdrain tie-in location to account for this work.

- **Project #6 - On the bid form after Addendum 1 was issued, the unit of measure for reference number 2 appears to be incorrect. Please clarify.**

The unit of measure should be SY and has been updated on the revised bids form.

- **Project #6 – Can a mobilization bid item be established for this project?**

Yes, a mobilization bid item has been added to the updated bid form.

- **Project #6 – Can invert elevations be provided for the 12" yard drain and 2-2B Catch basin?**

Yes, invert elevations for the 12" yard drain and the 2-2B catch basin have been included in the updated plan. Additionally, a new pay reference for the relocation of the existing catch basin has been added to the bid form.

- **Project #6 – In the pavement removed areas, how much pavement is to be removed? How much topsoil will be required in those areas?**

In the pavement removal areas, assume removal of 4–6 inches of asphalt and 8–12 inches of stone. These areas are to be backfilled using clean fill material from other on-site excavations. A 4-inch layer of topsoil is to be placed on top, which may consist of topsoil stripped from other excavated areas on the site.

- **Project #6A - Is the intent to remove the existing curb where the proposed pavement ties into the existing pavement? If so, how is the removal to be paid for?**

Yes, the existing curb at the pavement tie-in is to be removed. A curb removal pay item, along with an estimated quantity of 60 feet, has been added to the project plans and updated bid form.

Note regarding Projects 1 thru 5 – The City of Oregon anticipates awarding contracts for Projects 1-5 at its regular City Council Meeting on June 9th. Work may begin as early as June 23, 2025.

Note regarding Project 6 & 6A – Oregon Schools anticipates awarding a contract for Project 6 at its regular School Board Meeting on June 17th. Work may begin as early as June 23, 2025 and must be completed by August 8, 2025 to avoid the start of school.

*** * * END OF ADDENDUM NO. 2 * * ***

Item 611, 8" Conduit, Type C, (Perforated) As Per Plan

Provide 707.33 smooth wall corrugated polyethylene pipe with class 1 perforations, unless otherwise approved by the City Engineer. Payment under this item also includes a filter consisting of No 8, 9 or 89 granular material per 605.02, wrapped in 712.09 type A geotextile fabric, as shown in the typical sections. Submit shop drawings to the City Engineer per 611.04 for approval before ordering the materials.

Construction Noise

Activities and land use adjacent to this project may be affected by construction noise. In order to minimize any adverse construction noise impacts, any power-operated construction type device shall not be operated between the hours of 8 pm and 7am. In addition, any such device shall not be operated at any time in such a manner that the noise created substantially exceeds the noise customarily and necessarily attendant to the reasonable and efficient performance of such equipment.

Review of Drainage Facilities

Before any work is started on the project and again before final acceptance by the City, representatives of the City and the Contractor shall make an inspection of all existing sewers which are to remain in service and which may be affected by the work. The condition of the existing conduits and their appurtenance shall be determined from field observations. Records of the inspection shall be kept in writing by the City.

All new conduits, inlets, catch basins, and manholes constructed as a part of the project shall be free of all foreign matter and in a clean condition before the project will be accepted by the City.

All existing sewers inspected initially by the above mentioned parties shall be maintained and left in a condition reasonably comparable to that determined by the original inspection. Any change in the condition resulting from the Contractor's operations shall be corrected by the Contractor to the satisfaction of the Engineer.

Payment for all operations described above shall be included in the contract price for the pertinent 605 or 611 items.

Item 441, Asphalt Concrete Surface Course

The Contractor shall place the Item 441, Asphalt Concrete Surface Course, Type 1, (448) PG64-22 as near the end of construction as possible to prevent scraping, gouging or otherwise damaging the surface course with construction equipment.

Unsuitable Foundation Soils

Unsuitable foundation soils encountered in areas of the proposed pavement shall be removed and replaced with suitable material meeting the requirements of 203.02R. The locations and dimensions will be as determined by the Engineer. The following contingency quantities have been included in the General Summary to be used as directed by the Engineer:

Item 204, Excavation of Subgrade	500	Cu Yd
Item 204, Granular Material, Type B	500	Cu Yd
Item 204, Geotextile Fabric, Tensar BX-1100, or approved equal	1400	Sq Yd

Note Deleted


Item 204 - Proof Rolling

The following quantity is provided in the general summary to identify locations requiring undercutting, as directed by the Engineer.

Item 204, Proof Rolling	4 hours
-------------------------	---------

Note Deleted

Addendum #2 (Issued 5/19/25)



SCALE

1" = 10'

REVISIONS

5/19/25

DATE

4/21/25

DRAWN: WM

CHECKED: RMS

1

1

BID FORM

To the Director of Public Service
Municipal Building
5330 Seaman Road
Oregon, Ohio 43616-2633

I. The undersigned, having familiarized _____ with the local conditions affecting the cost of the work and with the Contract Documents, hereby proposes to perform everything required to be performed and to provide and furnish all of the labor, materials, necessary tools, expendable equipment, and all utility and transportation services necessary to perform and complete in a workmanlike manner all of the work required for asphalt concrete, pavement repairs, and appurtenances for the CITY OF OREGON, OHIO, all in accordance with the specifications for the following prices, to wit:

BASE BID: Brown Road Resurfacing

<u>REF. NO.</u>	<u>ODOT ITEM#</u>	<u>ITEM DESCRIPTION</u>	<u>QTY</u>	<u>UNIT</u>	<u>PRICE BID</u>	<u>AMOUNT BID</u>
	<i>Brown Road - S Lallendorf Road to S Stadium Road</i>					
1	254	Pavement Planing, Bituminous	28,352	SY		
2	301	Bituminous Aggregate Base, Spot Repairs	331	CY		
3	407	Tack Coat	2,835	Gal		
4	441	Asphalt Concrete Surface Course, Type 1 (449), PG64-22	984	CY		
5	441	Asphalt Concrete Surface Course, Type 1 (449), PG64-22 (Scratch)	591	CY		
6	611	Manhole Adjusted to Grade	2	EA		
7	623	Monument Adjusted to Grade	1	EA		
8	614	Maintenance of Traffic	1	LS		
9	617	Compacted Aggregate, Type A	264	CY		
10	638	Valve Box Adjusted to Grade	1	EA		

The ODOT Item Numbers listed above and referenced in the Technical Specifications are strictly used to describe the composition, placement, and removal of material only. The cost for any additional items required to complete the project per the specifications not specifically listed shall be included in the cost of the pertinent item.

Note: The City of Oregon will not pay for price adjustments on Asphalt Binder

BASE BID PROJECT 3 IN FIGURES

\$

(Unofficial total subject to correction)

II. Time of Completion. The undersigned agrees to substantially complete the work covered by the contract by **September 26, 2025**.

III. Accompanying this Bid is a Certified Check or Bid Bond in the amount of _____ Dollars (\$ _____) , payable to the City of Oregon, Ohio, which it is agreed, shall be retained as liquidated damages to the City of Oregon, Ohio, if the undersigned fails to execute the Contract in conformity with the Form of Contract incorporated in the Contract Documents and furnish performance bond as specified within ten (10) days after notification of the award of the Contract to the undersigned.

IV. In submitting this Bid, it is understood that the right is reserved by the City of Oregon, Ohio, to reject any and all bids. It is agreed that this Bid may not be withdrawn for a period of 60 days from the opening thereof.

The following documents are attached to and made a condition of this Bid:

- a. Best Bid Criteria Form
- b. Delinquent Real Property Tax
- c. Delinquent Personal Property Tax
- d. Non-Collusion Affidavit
- e. Acknowledgement of Income Tax Policies
- f. Affidavit of Compliance with Ohio Revised Code Section 3517.13

Bidder acknowledges receipt of the following addendum(s):

DATE _____, 20____

FIRM NAME _____BY _____
Signature

ADDRESS _____ TITLE _____

_____ TELEPHONE _____

_____ E.I. NO. _____

(Note: Bidders shall not add any conditions or qualifying statement to this Bid as otherwise the Bid may be declared irregular as not being responsive to the Advertisement for Bids.)

(Note: The successful bidder will be required to provide a Performance Bond in an amount not less than 100% of the contract price in favor of the City of Oregon, Ohio, conditioned upon the faithful performance of the Contract.)

BID FORM

To the Director of Public Service
Municipal Building
5330 Seaman Road
Oregon, Ohio 43616-2633

I. The undersigned, having familiarized _____ with the local conditions affecting the cost of the work and with the Contract Documents, hereby proposes to perform everything required to be performed and to provide and furnish all of the labor, materials, necessary tools, expendable equipment, and all utility and transportation services necessary to perform and complete in a workmanlike manner all of the work required for asphalt concrete, pavement repairs, and appurtenances for the CITY OF OREGON, OHIO, all in accordance with the specifications for the following prices, to wit:

BASE BID: LUC-Oregon Multi-use Trail, Phase 2

<u>REF. NO.</u>	<u>ODOT ITEM#</u>	<u>ITEM DESCRIPTION</u>	<u>QTY</u>	<u>UNIT</u>	<u>PRICE BID</u>	<u>AMOUNT BID</u>
		<i>Navarre Avenue to Starr Avenue</i>				
		ROADWAY				
1	201	Clearing and Grubbing	1	LS		
2	202	Curb Removed	158	FT		
3	202	Walk Removed	3430	SF		
4	203	Excavation	1264	CY		
5	203	Embankment	360	CY		
6	204	Subgrade Compaction	4315	SY		
7	204	Excavation of Subgrade	500	CY		
8	204	Granular Material, Type B	500	CY		
9	204	Proof Rolling	4	HR		
10	204	Geotextile Fabric, As Per Plan	1400	SY		
11	608	4" Concrete Walk	1763	SF		
12	608	Curb Ramp	925	SF		
13	609	Combination Curb and Gutter, Type 2	158	FT		

<u>REF. NO.</u>	<u>ODOT ITEM#</u>	<u>ITEM DESCRIPTION</u>	<u>QTY</u>	<u>UNIT</u>	<u>PRICE BID</u>	<u>AMOUNT BID</u>
		EROSION CONTROL				
14	651	Topsoil Stockpiled	<i>1</i>	<i>LS</i>		
15	652	Placing Stockpiled Topsoil	431	CY		
16	659	Seeding and Mulching, As Per Plan	3881	SY		
17	659	Repair Seeding and Mulching	500	SY		
18	659	Inter-Seeding	500	SY		
19	659	Commercial Fertilizer	1.35	TON		
20	659	Water	55	MGAL		
21	832	Storm Water Pollution Prevention Plan	1	LS		
22	832	<i>Storm Water Pollution Prevention Inspections</i>	<i>1</i>	<i>LS</i>		
23	832	<i>Inlet Protection</i>	<i>12</i>	<i>EA</i>		
24	832	<i>Filter Fabric Fence or 12" Diameter Tubular Filter</i>	<i>2000</i>	<i>LF</i>		
25	832	Erosion Control	<i>15000</i>	EA	\$1.00	\$15,000.00
		DRAINAGE				
26	209	Ditch Cleanout, As Per Plan	850	FT		
27	511	Concrete Headwall	0.22	CY		
28	601	Rock Channel Protection, Type C, with Geotextile Fabric	3	CY		
29	605	6" Shallow Pipe Underdrains	<i>1142</i>	FT		
30	605	<i>Aggregate Drains, 12" Wide, 8" Deep</i>	179	FT		
31	611	<i>6" Conduit, Type F</i>	104	FT		
32	611	8" Conduit, Type C (Perforated), As Per Plan	160	FT		
33	611	12" Conduit, Type B	71	FT		
34	611	12" Conduit, Type C	419	FT		
35	611	Catch Basin, No. 2-2B	8	EA		

<u>REF. NO.</u>	<u>ODOT ITEM#</u>	<u>ITEM DESCRIPTION</u>	<u>QTY</u>	<u>UNIT</u>	<u>PRICE BID</u>	<u>AMOUNT BID</u>
		PAVEMENT				
36	204	Geogrid	3412	SY		
37	253	Pavement Repair, As Per Plan	141	SY		
38	304	Aggregate Base, 6"	155	CY		
39	304	Aggregate Base, 12"	1089	CY		
40	407	Tack Coat	170	Gal		
41	441	Asphalt Concrete Surface Course, Type 1, (448), PG64-22, 1 1/4"	98	CY		
42	441	Asphalt Concrete Intermediate Course, Type 2, (448), 1 3/4"	145	CY		
43	452	6" Non-Reinforced Concrete Pavement, QC1, Path	704	SY		
		TRAFFIC CONTROL				
44	630	Ground Mounted Support Post, No. 3	23	FT		
45	630	Sign, Flat Sheet	5	SF		
46	642	Edge Line	1.16	MILE		
47	642	Center Line	0.58	MILE		
48	642	Crosswalk Line, 24"	361	FT		
		GENERAL/INCIDENTALS				
49	614	Maintaining Traffic	1	LS		
50	623	Construction Layout Stakes	1	LS		
51	624	Mobilization	1	LS		

The ODOT Item Numbers listed above and referenced in the Technical Specifications are strictly used to describe the composition, placement, and removal of material only. The cost for any additional items required to complete the project per the specifications not specifically listed shall be included in the cost of the pertinent item.

Note: The City of Oregon will not pay for price adjustments on Asphalt Binder

BASE BID PROJECT 5 IN FIGURES

\$

(Unofficial total subject to correction)

II. Time of Completion. The undersigned agrees to substantially complete the work covered by the contract by **October 24, 2025.**

III. Accompanying this Bid is a Certified Check or Bid Bond in the amount of _____ Dollars (\$ _____) , payable to the City of Oregon, Ohio, which it is agreed, shall be retained as liquidated damages to the City of Oregon, Ohio, if the undersigned fails to execute the Contract in conformity with the Form of Contract incorporated in the Contract Documents and furnish performance bond as specified within ten (10) days after notification of the award of the Contract to the undersigned.

IV. In submitting this Bid, it is understood that the right is reserved by the City of Oregon, Ohio, to reject any and all bids. It is agreed that this Bid may not be withdrawn for a period of 60 days from the opening thereof.

The following documents are attached to and made a condition of this Bid:

- a. Best Bid Criteria Form
- b. Delinquent Real Property Tax
- c. Delinquent Personal Property Tax
- d. Non-Collusion Affidavit
- e. Acknowledgement of Income Tax Policies
- f. Affidavit of Compliance with Ohio Revised Code Section 3517.13

Bidder acknowledges receipt of the following addendum(s):

DATE _____, 20_____

(Note: Bidders shall not add any conditions or qualifying statement to this Bid as otherwise the Bid may be declared irregular as not being responsive to the Advertisement for Bids.)

(Note: The successful bidder will be required to provide a Performance Bond in an amount not less than 100% of the contract price in favor of the City of Oregon, Ohio, conditioned upon the faithful performance of the Contract.)

BID FORM

To the Director of Public Service
Municipal Building
5330 Seaman Road
Oregon, Ohio 43616-2633

I. The undersigned, having familiarized _____ with the local conditions affecting the cost of the work and with the Contract Documents, hereby proposes to perform everything required to be performed and to provide and furnish all of the labor, materials, necessary tools, expendable equipment, and all utility and transportation services necessary to perform and complete in a workmanlike manner all of the work required for asphalt concrete, pavement repairs, and appurtenances for the CITY OF OREGON, OHIO, all in accordance with the specifications for the following prices, to wit:

BASE BID: Starr Elementary Driveway Construction and Resurfacing

<u>REF. NO.</u>	<u>ODOT ITEM#</u>	<u>ITEM DESCRIPTION</u>	<u>QTY</u>	<u>UNIT</u>	<u>PRICE BID</u>	<u>AMOUNT BID</u>
		<i>Starr Elementary Driveway</i>				
1	202	Tree Removed	1	EA		
2	202	Pavement Removed	374	SY		
3	204	Sidewalk Removed	1,684	SY		
4	204	Excavation and Embankment	1	HR		
5	304	Subgrade Compaction	187	CY		
6	407	Proof Rolling, APP	253	Gal		
7	441	Pavement Planing, Bituminous	70	CY		
8	441	Aggregate Base	117	CY		
9	642	Tack Coat	1	LS		
10	254	Asphalt Concrete Surface Course, Type 1 (449), PG64-22	78	SY		
11	301	Asphalt Concrete Surface Course, Type 2 (449), PG64-22	36	CY		
12	407	6" Unclassified Pipe Underdrains	66	LF		
13	441	4" Concrete Walk	28	SF		

<u>REF. NO.</u>	<u>ODOT ITEM#</u>	<u>ITEM DESCRIPTION</u>	<u>QTY</u>	<u>UNIT</u>	<u>PRICE BID</u>	<u>AMOUNT BID</u>
14	441	Curb Ramp, APP	4	EA		
15	611	6" Conduit, Type B	15	FT		
16	611	12" Yard Basin	1	EA		
17	611	Manhole Adjusted to Grade	1	EA		
18	611	Catch Basin, ODOT Type 2-2B	1	EA		
19	611	<i>Existing Catch Basin, Relocated</i>	1	EA		
20	623	Construction Staking	1	LS		
21	630	Sign, Flat Sheet	31	SF		
22	630	Ground Mounted Support, No. 3 Post	48	LF		
23	638	Valve Box Adjusted to Grade	1	EA		
24	642	Striping	1	LS		
25	653	Topsoil Furnished and Placed	1	LS		
26	659	Seeding and Mulching	1	LS		
27	624	Mobilization	1	LS		

The ODOT Item Numbers listed above and referenced in the Technical Specifications are strictly used to describe the composition, placement, and removal of material only. The cost for any additional items required to complete the project per the specifications not specifically listed shall be included in the cost of the pertinent item.

Note: The City of Oregon will not pay for price adjustments on Asphalt Binder

TOTAL BASE BID PROJECT 6 FIGURES

\$

(Unofficial total subject to correction)

ALTERNATE BID: Starr Elementary Driveway Construction and Resurfacing

<u>REF. NO.</u>	<u>ODOT ITEM#</u>	<u>ITEM DESCRIPTION</u>	<u>QTY</u>	<u>UNIT</u>	<u>PRICE BID</u>	<u>AMOUNT BID</u>
	<i>Starr Elementary Driveway</i>					
1	203	Excavation	1	LS		
2	203	<i>Curb Removal</i>	60	LF		
3	204	Subgrade Compaction	124	SY		
4	304	10" Aggregate Base	35	CY		
5	441	Asphalt Concrete Surface Course, Type 1 (449), PG64-22	5	CY		
6	441	Asphalt Concrete Surface Course, Type 2, (449), PG64-22	8	CY		
7	642	Striping	1	LS		
8	653	Topsoil Furnished and Placed	1	LS		
9	659	Seeding and Mulching	1	LS		

The ODOT Item Numbers listed above and referenced in the Technical Specifications are strictly used to describe the composition, placement, and removal of material only. The cost for any additional items required to complete the project per the specifications not specifically listed shall be included in the cost of the pertinent item.

Note: The City of Oregon will not pay for price adjustments on Asphalt Binder

TOTAL ALTERNATE BID PROJECT 6, FIGURES

\$

(Unofficial total subject to correction)

II. Time of Completion. The undersigned agrees to substantially complete the work covered by the contract by **August 8, 2025**.

***Oregon Schools anticipates awarding contract at its regular School Board Meeting on June 17th.
Work to be completed between June 23, 2025 and August 8, 2025 .***

III. Accompanying this Bid is a Certified Check or Bid Bond in the amount of _____ Dollars (\$ _____) , payable to the City of Oregon, Ohio, which it is agreed, shall be retained as liquidated damages to the City of Oregon, Ohio, if the undersigned fails to execute the Contract in conformity with the Form of Contract incorporated in the Contract Documents and furnish performance bond as specified within ten (10) days after notification of the award of the Contract to the undersigned.

IV. In submitting this Bid, it is understood that the right is reserved by the City of Oregon, Ohio, to reject any and all bids. It is agreed that this Bid may not be withdrawn for a period of 60 days from the opening thereof.

The following documents are attached to and made a condition of this Bid:

- a. Best Bid Criteria Form
- b. Delinquent Real Property Tax
- c. Delinquent Personal Property Tax
- d. Non-Collusion Affidavit
- e. Acknowledgement of Income Tax Policies
- f. Affidavit of Compliance with Ohio Revised Code Section 3517.13

Bidder acknowledges receipt of the following addendum(s):

DATE _____, 20_____

FIRM NAME _____BY _____
Signature

ADDRESS _____ TITLE _____

TELEPHONE _____

E.I. NO. _____

(Note: Bidders shall not add any conditions or qualifying statement to this Bid as otherwise the Bid may be declared irregular as not being responsive to the Advertisement for Bids.)

(Note: The successful bidder will be required to provide a Performance Bond in an amount not less than 100% of the contract price in favor of the City of Oregon, Ohio, conditioned upon the faithful performance of the Contract.)